## **BAKEWELL FRIENDS MEETING HOUSE**

Health & Safety Risk Assessment

| What are the hazards?                             | Those who might be harmed and how                              | Current action to control the risk  | Further action needed to control the risk                                      | Who needs to carry out the action?          | Date<br>needed        | Date<br>completed  |
|---|--|---|--|---|-----------------------|--------------------|
| Carpark and garden                                |  |   |  |   |                       |                    |
| Seasonal hazards :<br>leaves, moss and snow       | Slips & trips to visitors and public users.                    | <ul><li>Seasonal sweeping and clearing of car park</li></ul>                      | <ul><li>Sweeping when necessary</li></ul>                                      | MH manager                                  | Autumn & Winter       | April 2024         |
| Excess parking of vehicles in grounds             | Blocking emergency vehicles No space for disabled users        | <ul><li>Prioritising disabled users</li><li>Reminders to car park users</li></ul> | • Further reminders  | All using the car park<br>Checks by manager | When necessary        | Review<br>Nov 2024 |
| Movement within building                          | g  |   |  |   |                       |                    |
| Furniture and objects cluttering the building.    | All users : trips and falls<br>Blocking emergency exists       | <ul> <li>Our clear room and spaces<br/>policy applies to all MH users</li> </ul>  | Regular inspection of rooms  | All MH groups<br>Manager and cleaner        | Daily                 | Review<br>Nov 2024 |
| Handling & stacking chairs in hall and store.     | Store users : poorly stacked chairs falling over.              | <ul> <li>Taking care when handling<br/>and stacking chairs</li> </ul>             | Regular store checks   | All MH groups in hall MH Manager            | Daily                 | Review<br>Nov 2024 |
| Malfunctioning equipmen                           | at and services  |   |  |   |                       |                    |
| Dangers from gas and electrical equipment.        | All users : electric shock, fire, explosion and gas inhalation | <ul><li>Professional servicing</li></ul>  | <ul> <li>Safe handling of portable<br/>electrical equipment</li> </ul>         | Service suppliers<br>Meeting House users    | As per schedule       | Review<br>Nov 2024 |
| Fire  |  |   |  |   | ,                     |                    |
| Failure of equipment or procedure to prevent fire | All users : danger of burns, suffocation or death.             | Daily, weekly and monthly checks, annual maintenance                              | Annual review of fire risk assessments   | Manager and<br>Stewardship Committee        | Annually              | Review<br>Nov 2024 |
| Outbreak of fire in the Meeting House             | All users : danger of burns, suffocation or death.             | <ul><li>Train group leaders, or their<br/>nominees, in fire evacuation*</li></ul> | ■ The group leader is to take charge of fire evacuations*                      | Quaker and user group leaders               |                       | Review<br>Nov 2024 |
| Chemical Hazards                                  |  |   |  |   |                       |                    |
| Cleaning materials                                | All users : adverse reactions effecting skin and breathing     | <ul> <li>Store chemical safely,<br/>especially from children</li> </ul>           |  | Cleaner                                     | Ongoing               | Review<br>Nov 2024 |
| Legionella  | Shower users : danger of infection                             | <ul><li>Run shower hot every week<br/>for 5 minutes</li></ul>                     |  | Cleaner                                     | Weekly                | Review<br>Nov 2024 |
| Gas & Electricity                                 |  |   |  |   |                       |                    |
| Malfunctioning equipment or services              | Danger of fire or explosions to all Meeting House users        | <ul> <li>annual service of electrics,<br/>gas boiler &amp; heating</li> </ul>     | <ul><li>scheduled lighting checks</li></ul>                                    | MH Manager                                  | Monthly<br>& annually | Review<br>Nov 2024 |
| Malfunctioning portable electrical equipment      | Danger of possibly fatal shock or fire to users                | <ul><li>annual review &amp; PAT test</li></ul>                                    | <ul><li>annual review, PAT testing</li></ul>                                   | MH Manager<br>Community Hirers              | Annually              | Review<br>Nov 2024 |
| Risks to Friends & staff                          |  |   |  |   |                       |                    |
| Lone working and personal security                | Personal attack or accident requiring emergency help           |   | <ul> <li>Let others know where you are and when returning</li> </ul>           | Friends and staff                           | Ongoing               | Review<br>Nov 2024 |
| Working at height                                 | Serious falls, possibly causing breakages or death             | <ul><li>Don't work alone at height</li><li>Use professional services</li></ul>    | <ul> <li>Keep ladders and other<br/>equipment well maintained.</li> </ul>      | Friends and staff<br>MH Manager             | Ongoing               | Review<br>Nov 2024 |
| Kitchen   |  |   |  |   |                       |                    |
| Danger of burns, scalds, and cuts in busy kitchen | Danger to Friends, employees community users                   | <ul><li>Limit occupants to five</li><li>Supervise children</li></ul>              | <ul> <li>Use hatch to serve food and drink</li> </ul>                          | All kitchen groups and users                | Annually              | Review<br>Nov 2024 |
| Meeting House                                     |  |   |  |   |                       |                    |
| Building decay                                    | Threat to Friends, employees community users and public        | <ul><li>annual inspection of building</li><li>Quinquennial Review</li></ul>       | <ul><li>gutter and drains cleaning</li><li>inspect after bad weather</li></ul> | Manager & others<br>N&D AQM                 | Annually<br>5 yearly  | Review<br>Nov 2024 |

## Scope of Controls

| Friends, community users, | Meeting House schedules | Actions highlighted in <b>bold blue text</b> are part of the Meeting House regular scheduled health, |
|---------------------------|-------------------------|--|
| employees and public      | and employees           | safety, fire and maintenance checks.   |

## First Aid Kit and Accident Reporting

A first aid kit is available for Meeting House users on the kitchen wall.

Accidents should be entered in the Accident Report Book and the Meeting House manager should be informed.

## Notes

\* All group leaders (duty elders, community activity leaders and/or their nominees) are responsible for evacuation in case of fire or other emergency and an informal individual briefing will be provided.

This risk assessment applies all Quaker and community groups using the Meeting House. Should activities of groups fall outside the scope of this Risk Assessment then groups should provide their own risk assessments to cover these activities.

All portable electrical equipment should be PAT tested annually. The Meeting House is happy to include Friends' and community groups' equipment in their annual PAT testing at no cost. Details will be sent out annually.